

Incure Pyra-Sil™ Silicone Mask/Rubber is developed for applications requiring a form fitting temporary protective cover. These range of silicones cures to a pliable, removable, protective covering within 72 hours.

### Features

- *Single Component – No Mixing Required*
- *Adhesion to Most Substrates - Glass, Plastics & Metals*
- *Clean Release from Plastics, Metals and Painted Wood*
- *Non-Corrosive*

### Applications

- *Metal Masking for Plating*
- *Protective Coating for Sandblasting*
- *Temporary Weather Stripping*

Overview of Product Spectrum		
HANDLING AND CURING		
Product	894	899
No. Component(s)	1	1
Specific Gravity	0.98	0.98
Viscosity, @ 25°C, cP	40,000	80,000
Color	Straw	Straw
Tack Free Time, @ RT, mins	20	20
Cure Time, @ RT, hrs	72	72
CURED PROPERTIES		
Hardness, Shore	A20	A30
Tensile Strength, psi	100	100
Elongation, %	100	100
Cure System	Oxime	
Temperature Resistance, °C	-45/260	
Shelf Life, months	12	
Storage, °C	2-8	
Packaging	1 Oz. Tube, 3 Oz. Tube, 300ml Cartridge, 40lb. Pail	